



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A61K 7/06, 7/50, 7/135	A1	(11) International Publication Number: WO 00/10515 (43) International Publication Date: 2 March 2000 (02.03.00)
(21) International Application Number: PCT/EP99/06097 (22) International Filing Date: 18 August 1999 (18.08.99) (30) Priority Data: 09/138,189 21 August 1998 (21.08.98) US (71) Applicant (for AE AU BB CA CY GB GD GH GM IE IL KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZA ZW only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB). (71) Applicant (for all designated States except AE AU BB CA CY GB GD GH GM IE IL IN KE LC LK LS MN MW NZ SD SG SL SZ TT UG ZA ZW): UNILEVER NV [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL). (71) Applicant (for IN only): HINDUSTAN LEVER LIMITED [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, 400 020 Mumbai (IN). (72) Inventors: NEWELL, Gerald, Patrick; Unilever Home & Personal Care USA, 3100 East Golf Road, Rolling Meadows, Chicago, IL 60008 (US). PYLES, Daniel, Raymond; Unilever Home & Personal Care USA, 3100 East Golf Road, Rolling Meadows, Chicago, IL 60008 (US).		(74) Agent: ELLIOTT, Peter, William; Unilever PLC, Patent Department, Colworth House, Sharnbrook, Bedford, Bedfordshire MK44 1LQ (GB). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: A COMPOSITION FOR LIGHTENING AND HIGHLIGHTING HAIR (57) Abstract <p>There is described a conditioning composition for conditioning, lightening and highlighting hair which comprises: (i) a peroxygen compound; and (ii) a conditioning agent, said composition having a pH of 5 or less. There is also described a method for conditioning lightening and highlighting hair which comprises treating said hair with a composition of the invention.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

A COMPOSITION FOR LIGHTENING AND HIGHLIGHTING HAIRFIELD OF THE INVENTION

5

The present invention is directed to a conditioning composition which is also for lightening and/or highlighting hair.

10 BACKGROUND OF THE INVENTION AND PRIOR ART

It is known within the art to lighten and highlight hair with a peroxygen compound such as hydrogen peroxide. An object of the present invention, is to provide conditioners
15 which contain stable peroxygen compounds and thus can be used as hair lighteners and highlighters as well as conditioners.

Current products on the market for lightening hair come in
20 two forms. The first is a spray leave-on peroxide solution. This product is used occasionally when the hair will be exposed to sunlight after application. Examples of such products include Super Sun-In^(R), Super With Lemon Sun-In^(R), and Gradual Sun-In For Men^(R). Super Sun-In^(R) has about
25 1.9% hydrogen peroxide at a pH of about 4.0. Super With Lemon Sun-In^(R) has about 3.7% hydrogen peroxide at a pH of about 4.0. Gradual Sun-In For Men^(R) has about 3.7% hydrogen peroxide at a pH of about 3.

- 2 -

The second product for lightening hair is a system which has two components: a bleaching component such as hydrogen peroxide and another component which is a bleach oil. This system requires two containers and/or two bottles, one for each of the components. These products will lighten and highlight the hair, however, often the result is damage that leaves hair in a less than healthy state.

It is known to prepare an unstable composition by combining a bleach with a shampoo or conditioner and immediately thereafter applying the resulting composition to the hair. This is usually done in a hair salon and will result in the immediate lightening of the hair. By contrast, stable conditioner compositions which gradually lighten and highlight the hair and which can easily be used at home are provided by the present invention.

Other publications which relate to the bleaching of hair are as follows:

20

WO 93/14024 A1 (1993);

JP 87/222585 (1987);

U.S. 4,656,043 (1987);

GB 86/03053 (1986);

25

DE 84/3421358 (1984); and

EP 437,075 A (1990).

- 3 -

SUMMARY OF THE INVENTION

The invention relates to a conditioning composition for lightening and highlighting hair which comprises:

5

- (i) a peroxygen compound; and
- (ii) a conditioner vehicle which is stable in acid,

said composition having a pH less than 5.

10

The invention is also directed to a method for lightening and highlighting hair which comprises administering to the hair a lightening and highlighting effective amount of a composition comprising:

15

- (i) a peroxygen compound
- (ii) and a conditioner vehicle which is stable in acid

at a pH of less than 5, preferably about 2-4.5 and then rinsing said composition from the hair.

20

The peroxygen compound makes the conditioner composition a lightening and hair highlighting composition. Peroxygen compounds are not stable in conditioners at pH's of 5 and above. The composition is made acidic by addition of a
25 acid, such as a mineral acid, like phosphoric acid or sulfuric acid. However, peroxygen compounds can go into conditioners provided that the pH is low enough.

- 4 -

Prior to the present invention, when peroxygen compounds were used to lighten hair, they were often used in bleach oils, or hair coloring compositions.

5 DETAILED DESCRIPTION OF THE INVENTION

There are two methods to lighten and highlight hair. The first method is to deposit onto the hair, molecules which color the hair. The second method is to bleach the natural
10 pigment found in the hair. The present invention relates to the latter method.

Hair contains a number of different pigments, principally brown and red. When hair is bleached by chemicals or the
15 sun, the brown pigments react faster, and therefore disappear faster than the red pigments. The change in the red to brown ratio changes the appearance of the hair giving more red shading to the natural color of the hair. This results in the lightening of the hair. The red color that
20 appears is perceived as highlighting of the hair.

Peroxygen compounds have been used to bleach human hair. A preferred peroxygen compound is hydrogen peroxide. Hydrogen peroxide is stable, but will decompose under the appropriate
25 conditions to form water and an active species of oxygen. The active species of oxygen is very reactive. It attacks and decolorizes the hair pigment.

It has surprisingly been found that a peroxygen compound,
30 preferably hydrogen peroxide, is stable in a conditioner

- 5 -

composition when present in about a 0.01 wt.% to about 10 wt. % (preferably 2%).

Use of conditioner compositions which have pH's of 5 or below stabilizes the peroxygen compound (which can be hydrogen peroxide) which is included in said compositions.

In the compositions of the present invention, any acid that can result in a pH of 5 or less may be employed. More specifically, any acid which has a pK such that it can be used to obtain a composition with a pH of 5 or less, may be employed. Exemplary of such acids are any mineral acid such as sulfuric acid or phosphoric acid. Appropriate organic acids such as citric acid may also be used.

15

As indicated above, the peroxide of the compositions of the invention can be employed with any conditioner, as long as the pH is low enough.

20 A conditioner agent stable to acid hydrolysis, such as a silicone compound having at least one quaternary ammonium moiety along with an ethoxylated monoquat is included in the conditioner.

25 A clear conditioning composition of the present invention comprises: a clear conditioning composition comprising a silicone compound having at least one quaternary ammonium moiety, such as a diquaternary polydimethylsiloxane, and ethoxylated monoalkyl quat. The easy-to-apply, clear
30 conditioning composition imparts excellent wet comb and dry comb properties to the hair, and the hair demonstrates

- 6 -


improved physical and cosmetic properties, such as gloss, thickness, softness, manageability, body and less coating.

Clear conditioning agents may also include an amidoamine
5 salt comprising an amidoamine compound having the chemical structure of formula I or II as shown below.



I

10 or



II

15 or a mixture thereof, wherein R_1 is a fatty acid chain containing from about 11 to about 21 carbon atoms; R_2 is an alkylene group containing from about 2 to about 4 carbon atoms; R_3 is hydrogen, a methyl group, an ethyl group, or a hydroxyalkylene group containing from one to about 3 carbon
20 atoms; R_4 is a methyl group, an ethyl group or a hydroxyalkylene group containing from one to about three carbon atoms; and Y is an organic heterocyclic nitrogen-containing moiety, and a sufficient amount of a suitable acid to neutralize the amidoamine compound.

25

These salts are described in U.S. Patent 5,328,685 to Janchitraponvej et al, which is hereby incorporated by reference.

- 7 -

Conditioning compositions of the present invention also include compositions which are not clear.

In addition to the above-described essential ingredients,
5 other common cosmetic components and additives can be incorporated in the conditioning composition with the essential ingredients, as long as the basic properties of the composition, and an ability to condition the hair, are not adversely affected. Such optional ingredients include,
10 but are not limited to, humectants, inorganic salts, fragrances, dyes, hair colorants, hydrotropes, preservatives, water softening agents, acids, bases, buffers and the like. Optional components usually are present in weight percentages of less than about 2% each, and from
15 about 5% to about 10% by weight of the composition in total.

Other optional ingredients can be included in the conditioning composition to enhance the ability of the composition to condition the hair. For example, other
20 quaternary ammonium compounds can be included in the conditioning composition. A quaternary ammonium compound useful in the composition of the present invention preferably is a water-soluble quaternary ammonium compound having one or two long chain alkyl groups containing from
25 about 8 to about 18 carbon atoms. The long chain alkyl groups also can include, in addition to, or as a substitute for, carbon and hydrogen atoms, ether linkages or similar water-solubilizing linkages. The remaining two to three substitutes of the quaternary nitrogen of the quaternary
30 ammonium compound can be hydrogen; or benzyl; or short chain alkyl or hydroxyalkyl groups such as methyl, ethyl,

- 8 -

hydroxymethyl or hydroxyethyl groups; or mixtures thereof, either of the same or of different identity. However, an oil-soluble, water dispersible quaternary ammonium compound, either alone or in combination with a water-soluble
5 quaternary ammonium compound, also can be used in the composition of the present invention.

An optional thickener also can be included in the clear or opaque conditioning composition to improve composition
10 esthetics and facilitate application of the composition to the hair. Nonionic thickeners in an amount of 0% to about 3% by weight are preferred. Exemplary thickeners are methylcellulose, hydroxybutyl methylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose,
15 hydroxyethyl ethylcellulose and hydroxyethylcellulose, di(hydrogenated tallow)phthalic acid amide, crosslinked maleic anhydride-methyl vinyl ether copolymer, guar gum, xanthan gum and gum arabic.

20 The carrier of the conditioning composition is predominantly water, but organic solvents also can be included in order to facilitate manufacturing of the composition or to provide esthetic properties, such as viscosity control. Suitable solvents include the lower alcohols like ethyl alcohol and
25 isopropyl alcohol; glycol ethers, like 2-butoxyethanol, ethylene glycol monoethyl ether, propylene glycol and diethylene glycol monoethyl ether or monomethyl ether; and mixtures thereof. Non-aqueous solvents can be present in the conditioning composition of the present invention in an
30 amount of about 1% to about 50%, and in particular about 5%

- 9 -

to about 25%, by weight of the total weight of the carrier in the composition.

A composition of the present invention can be a composition
5 that is stable to phase or ingredient separation at a temperature of about 25°C. for an indefinite period of time. For example, a clear conditioning composition of the present invention has demonstrated sufficient stability to phase and ingredient separation at temperatures normally
10 found in commercial product storage and shipping to remain unaffected for periods of one year or more.

Non-limiting conditioning agents which may be used in opaque conditioners include:

- 15 stearyltrimethylammonium chloride;
behenetrimethylammonium chloride;
cetrimonium bromide ;
soytrimonium chloride;
20 tallowtrimonium chloride;
dihydrogenatedtallowdimethylammonium chloride;
behentrimethylammonium methosulfate;
Peg-2 Olealmonium chloride;
dihydrogenatedtallowdimethylammonium bromide;
25 dihydrogenatedtallowdimethylammonium methosulfate;
palmityltrimethylammonium chloride;
hydrogenated tallowtrimethylammonium chloride;
hydrogenated tallowtrimethylammonium bromide;
dicetyldimethylammonium chloride;
30 distearyldimethylammonium chloride;
dipalmityldimethylammonium chloride;

- 10 -

hydrogenated tallowtrimethylammonium methosulfate;
cetrimonium tosylate;
eicosyltrimethylammonium chloride, and
ditallowdimethylammonium chloride.

5

Materials that can be used to opacify compositions of the invention include fatty esters, opacifying polymers, such as styrene polymers, like OPACIFIER 653 from Morton, International, Inc.; and fatty alcohols. The following is a
10 non-limiting list of fatty alcohols.

cetyl alcohol;
stearyl alcohol;
cetearyl alcohol;
15 behenyl alcohol; and
arachidyl alcohol.

Conditioning compositions of the invention which are not clear also can include Lexamine S-13, dicetylammonium
20 chloride, and ceteareth-20.

Lightening and/or highlighting the hair with the compositions of the invention is carried out by conditioning the hair, that is, (1) applying water to said hair (or
25 starting the process with hair that is damp because it has already been shampooed); (2) applying to said hair a lightening and highlighting effective amount of a conditioning composition of the invention; (3) rubbing said hair with the hands or a hair appliance such as a comb; and
30 (4) rinsing said hair with water. Each application of a composition of the invention results in a small degree of

- 11 -

lightening and/or highlighting of the hair. By using a composition of the invention on a daily basis, the hair can be gradually lightened and highlighted until it reaches the desired state. At that point, conditioning with a
5 composition of the invention is ceased, and hair of the desired color has been obtained until it grows out.

A person who used the conditioner compositions of the invention and also spends time in the sunlight may achieve
10 hair lightening and/or hair highlighting more quickly than someone who uses the compositions of the invention but does not spend time in the sunlight. This is due to the additive effects of the bleaching of hair by sunlight and the chemical action of the conditioning compositions of the
15 invention.

It will also be appreciated that the compositions of the invention have the advantage of enabling the user to obtain just the degree of highlighting and/or lightening that he or
20 she desires at which point conditioning of the hair with the compositions of the invention is stopped, and this desired hair coloring will remain until the hair grows out.

- 12 -

Usually, some lightening or highlighting of the hair will be noticeable within the first ten to fourteen consecutive days of conditioning with a composition of the invention. Often, a composition of the invention will be used for up to about
5 thirty consecutive days. However, as mentioned above, an advantage of the invention, is that a composition of the invention may be employed for more or less consecutive days than listed above, as desired by the user. In addition, the conditioning compositions may be employed every other day,
10 or at even greater intervals as desired. If compositions of the invention are not employed on consecutive days, use may be made of the consumer's customary non-bleaching conditioner on the days when the bleaching conditioner of the invention is not being used. Moreover, after being
15 applied, the conditioner may be left in the hair for a few seconds, or thirty seconds, or as long as 15 minutes. The longer the conditioner is left in the hair, the more the hair will be highlighted or lightened for a given application.

20 It will also be appreciated that the conditioning compositions of the invention also have the benefit of conditioning the hair at the same time as lightening or highlighting the hair. The conditioning compositions of the invention also have acceptable sensory qualities.

25

Compositions of the invention were used as conditioners and were evaluated by a trained panel of observers and found to lighten and highlight hair.

30

- 13 -

General Procedure for Preparing Conditioning Compositions of
the Invention

Materials and chemicals used in the preparation of the
5 compositions of the invention are either known or can be
prepared according to known methods. A list of the
components of compositions of the invention is as follows:

- 10 - the solvent carrier is water wherein said water is
 substantially deionized;
- conditioning agents and conditioning polymers
 are, for example, Polyquaternium-10, and the like.
 Mixtures of the above polymers may also be
 employed;
- 15 - the viscosity agent may be lauryl alcohol, sodium
 chloride, or ammonium chloride;
- opacifiers selected from the group consisting of
 ethylene glycol monostearate and ethylene glycol
 distearate or mixtures thereof may optionally be
20 employed;
- a conditioning agent which is stable under low pH
 conditions, such as lauramine oxide may be
 employed, or an amidoamine such as
 isostearamidopropylmorpholine lactate may be
25 employed;
- a mineral acid such as phosphoric acid or sulfuric
 acid is employed;
- a humectant such as propylene glycol may be
 employed;
- 30 - a fragrance stable at low pH may be employed.
 Other cosmetic additives may be employed as well;

- 14 -

- a thickener which may be used in the compositions of the invention can, for example, be selected from the group consisting of hydroxyethylcellulose, propylene glycol hydroxystearate, and alkanolamides. Preferably hydroxyethylcellulose (Natrosol) is used;
 - conditioners which may also be used are stearamidopropyl dimethylamine, Quaternium 80, or cetrimonium chloride;
 - a fatty alcohol selected from the group consisting of cetyl alcohol; stearyl alcohol; cetearyl alcohol; behenyl alcohol; and arachidyl alcohol.
 - a colorant which may be used in compositions of the invention is a dye like FD&C Blue #1;
 - a preservative which may be used in compositions of the invention is, for example, selected from such as Kathon CG from Rohm & Haas, and DMDM Hydantoin;
 - a peroxygen compound such as bromates, perborates or hydrogen peroxide may be used;
 - conditioner oils such as cyclomethicone and dimethicone;
 - solubilizers.
- Materials from the above list are known or may be prepared according to known methods. A general description of the preparation of the compositions of the invention is set forth just below.

- 15 -

Compositions of the Invention are Prepared as Follows:

- 5 Step 1. The solvent carrier, water, is added to a
 suitably sized tank;
- Step 2. Moderate agitation is begun;
- Step 3. Conditioning Polymers, such as
 Polyquaternium-10 are added and mixed until
 dissolved;
- 10 Step 4. Acid such as phosphoric acid or sulfuric
 acid, added and mixed until dissolved and the
 batch is at uniform pH;
- Step 5. Any and all cosmetic additives are added;
- Step 6. Hydrogen peroxide is added and mixed until the
15 batch is uniform.

The above six steps can be done at from about room
temperature to about a temperature above the melting point
of the additives.

20

Compositions of the invention have ingredients which can
fall within the following ranges:

- 16 -

Ingredient	Amount in Wt%
conditioner	0.01-10
H ₂ O ₂	0.01-10
Acid	to provide a pH of 5 or less
Water	q.s.

The following example shows a composition of the invention.

- 5 This example is illustrative of compositions of the invention; however, the invention is not limited by this example.

- 17 -

Example 1

Item #	Description	Wt. %
1	Water, Deionized	q.s.
2	Hydroxyethyl cellulose	1.30
3	PEG-2 Oleamonium Chloride (69%) & Propylene Glycol (31%)	2.50
4	Propylene Glycol, USP	1.50
5	Cetrimonium Chloride (30%)	2.00
6	Liquid Citric Acid 50%	1.00
7	Quaternium - 80, 50%	2.00
8	FD&C Blue #1 (1%)	0.05
9	Disodium EDTA	0.10
10	Kathon CG from Rohm&Haas	0.05
11	DMDM Hydantoin	0.10
12	Fragrance	0.40
13	PEG-15 Nonyl Phenyl Ether (Polysorbate 20)	0.40
14	Hydrogen Peroxide, 35% CG	4.00

A composition of the invention was prepared using the above
 5 materials and carrying out the following steps.

1. Water was added to a suitably-sized tank, and agitation was begun.
2. Hydroxyethyl cellulose was added and the mixture was
 10 heated to 125°F. Agitation was continued until the mixture was free of lumps and clear.
3. A mixture of PEG 2 and propylene glycol were added.

- 18 -

4. Propylene glycol, Cetrimonium chloride, Liquid citric acid, Quaternium-80, FD&C Blue #1 were added in the order listed.
5. Disodium EDTA in hot soft water was then added and mixed.
6. The mixture was then allowed to cool. When it reached 110°F Kathon CG from Rohm & Haas and DMDM Hydantoin were added.
- 10 7. In a separate container were mixed fragrance and PEG-15 Nonyl Phenyl Ether (Polysorbate 20), until a clear solution was achieved. The clear solution was added to the main mixture, which was further cooled to 80°F and mixed until uniform.
- 15 8. When the pH of the batch was 4.5 or below hydrogen peroxide was added and the resulting solution was mixed well.

The resulting mixture was a composition of the invention.

- 20 The above composition of the invention has passed stability tests in a three month study at 35°F, room temperature, and 110°F. These tests checked the compositions for color, odor, appearance, pH, viscosity, and the level of hydrogen peroxide. In a similar manner Examples 2 through 5 of the
25 invention were prepared.

- 19 -

EXAMPLES 2 - 5

Ingredient (As Is)	Ex. 2	Ex. 3	Ex. 4	Ex. 5
Deionized H ₂ O	Q.S.	Q.S.	Q.S.	Q.S.
Hydroxyethyl cellulose	1.3	1.3	-	-
PEG-2 Oleamonium Cl & Propylene Glycol	2.5	2.5	-	-
Propylene Glycol	-	-	.5	.5
Stearamidopropyl dimethylamine	-	-	.5	.5
Dicetyldimonium Cl	-	-	2.1	2.1
Cetrimonium Cl vice versa for opaque	2	2	-	-
Quaternium-80	2	2	-	-
Stearyl Alcohol & Ceteareth-20	-	-	1	1
Cetyl Alcohol	-	-	3.5	3.5
Potassium Cl	-	-	.2	.2
Dosodium, EDTA	.1	.1	.1	.1
Kathon CG from Rohm & Haas	.05	.05	.08	.08

- 20 -

Ingredient (As Is)	Ex. 2	Ex. 3	Ex. 4	Ex. 5
DMDM Hydantoin	.1	.1	.1	.1
Cyclomethicone	-	-	1.8	1.8
Dimethicone	-	.1	.1	
Fragrance	.4	.4	.4	.4
PEG-15 Nonyl Phenyl Ether	.4	.4	-	-
Liquid Citric Acid, 50%	.085	1	.685	.185
Phosphoric Acid, 85%	-	-	-	.1
Hydrogen Peroxide, 35% CG	4	4	4	11.45

- 5 The studies which are given below show the advantageous properties of the compositions of the invention.

Instron Wet Combing and Static Charge Build-up Studies

- 10 The Instron combing test and combing force are as described in Garcia et al, J. Soc. Cosmet. Chem. 27:379(1976) which is hereby incorporated by reference. Static charge test methods and the definition of static charge are as described in Lunn et al., J. Soc. Cosmet. Chem. 28:549(1977) which is hereby
15 incorporated by reference.

- 21 -

Ingredients	Composition	Composition
	A	B
Deionized Water	Q.S.	Q.S.
Hydroxyethyl cellulose	1.3	1.3
PEG-2 Olealmonium Chloride (69% active) & Propylene Glycol (31% active)	2.5	2.5
Propylene Glycol, USP	1.5	1.5
Cetrimonium Chloride, 30% active	2	2
Quaternium-80, 50% active	2	2
FD&C Blue #1, 85% active	.00003	.0005
Disodium EDTA	.1	.1
Kathon CG from Rohm & Haas	.05	.05
DMDM Hydantoin	.1	.1
Benzophenone-4	.05	-
Fragrance	.4	.4
PEG-15 Nonyl Phenyl Ether	.4	.4
Liquid Citric Acid, 50% active	.07	.1
Hydrogen Peroxide, 35% active	-	4
Combing Force (g force) No significant difference found	10.2	8.4
Absolute Static Build-up (kV/m) No significant difference found	12.6	9.6

- 22 -

As shown in the above table, addition of Hydrogen Peroxide does not damage the hair, that is, it does not decrease the ease of Wet Combing or increase Static Charge Build-up).

5 Trained Panel Evaluation of Tresses Treated 1x and 5x with composition B

Experimental Procedure:

- 10 Two (2) Virgin Brown Tresses from DeMeo Bros., New York, were shampooed with a Clarifying Shampoo, rinsed then dried. The 1st Tress, Tress 1 was shampooed, rinsed then dried. The 2nd Tress, Tress 2 was shampooed, rinsed, then treated with .5 cc of composition B. Composition B was spread
- 15 through the tress and allowed to remain on the hair for 3 minutes, then rinsed and dried. Tress 1 and Tress 2 were evaluated together to determine if there was any lightening in Tress 2 (evaluation by trained panel of five). Tress 2 was then shampooed, rinsed, and treated with composition B
- 20 for 3 minutes, rinsed then dried 4 times. Tress 2 was again evaluated versus Tress 1 by trained panel.

- 23 -

Ingredients	Composition
	B
Deionized Water	Q.S.
Hydroxyethyl cellulose	1.3
PEG-2 Olealmonium Chloride (69% active) & Propylene Glycol (31% active)	2.5
Propylene Glycol, USP	1.5
Cetrimonium Chloride, 30% active	2
Quaternium-80, 50% active	2
FD&C Blue #1, 85% active	.0005
Disodium EDTA	.1
Kathon CG from Rohm & Haas	.05
DMDM Hydantoin	.1
Fragrance	.4
PEG-15 Nonyl Phenyl Ether	.4
Liquid Citric Acid, 50% active	.1
Hydrogen Peroxide, 35% active	4
# of Trained Panel who saw lightening of tress 2 versus tress 1 after 1x treatment	1
# of Trained Panel who saw lightening of tress 2 versus tress 1 after 5x treatment	6

CLAIMS

1. A composition for conditioning, lightening and
5 highlighting hair comprising:

 (i) a peroxygen compound; and
 (ii) a conditioning agent,
 said composition having a pH of 5 or less.
10
2. A composition according to claim 1, wherein the pH is
 from 2-4.5;
3. A composition according to claim 1 or 2, wherein the
15 peroxygen is hydrogen peroxide.
4. A composition according to any preceding claim, wherein
 the conditioning agent is a silicone compound having at
 least one quaternary ammonium moiety and an ethoxylated
20 monoalkyl.
5. A composition according to any preceding claim, wherein
 the conditioning agent is a diquaternary
 polydimethylsiloxane and an ethoxylated monoalkyl.
25
6. A composition according to any preceding claim, which is
 clear.

- 25 -


7. A composition according to claim 6, comprising a clear conditioning agent which is an amidoamine salt wherein the amidoamine salt comprises: an amidoamine compound
5 having a chemical structure of formula I or II



I

or

10



II

- or a mixture thereof, wherein R_1 is a fatty acid chain
15 contain or a mixture thereof, wherein R_1 is a fatty acid chain containing from 11 to 21 carbon atoms; R_2 is an alkylene group containing from 2 to 4 carbon atoms; R_3 is hydrogen, a methyl group, an ethyl group, or a hydroxyalkylene group containing from one to 3 carbon
20 atoms; R_4 is a methyl group, an ethyl group or a hydroxyalkylene group containing from one to three carbon atoms; and Y is an organic heterocyclic nitrogen-containing moiety, and a sufficient amount of a suitable acid to neutralize the amidoamine compound.

25

8. A composition according to claim 6, comprising a clear conditioning agent which is PEG-2 Olealmonium chloride & propylene glycol.

- 26 -

9. A composition according to any of claims 1 to 5, which is opaque.
10. A composition according to claim 9, comprising an
5 opaque conditioning agent selected from the group consisting of:
- stearyltrimethylammonium chloride;
behenetrimethylammonium chloride;
10 cetrimonium bromide ;
soytrimonium chloride;
tallowtrimonium chloride;
dihydrogenatedtallowdimethylammonium chloride;
behentrimethylammonium methosulfate;
15 Peg-2 Olealmonium chloride;
dihydrogenatedtallowdimethylammonium bromide;
dihydrogenatedtallowdimethylammonium methosulfate;
palmityltrimethylammonium chloride;
hydrogenated tallowtrimethylammonium chloride;
20 hydrogenated tallowtrimethylammonium bromide;
dicetyldimethylammonium chloride;
distearyldimethylammonium chloride;
dipalmityldimethylammonium chloride;
hydrogenated tallowtrimethylammonium methosulfate;
25 cetrimonium tosylate:
eicosyltrimethylammonium chloride, and
ditallowdimethylammonium chloride.

- 27 -

11. A composition according to any preceding claim, which further comprises ingredients selected from the group consisting of humectants, emollients, inorganic salts, fragrances, dyes, hair colorants, hydrotropes, preservatives, water softening agents, acids, bases, and buffers.
12. A composition according to any preceding claim, which further comprises lauryltrimethylammonium chloride, stearyltri(2-hydroxyethyl)ammonium chloride, lauryldimethylbenzylammonium chloride, oleyldimethylbenzylammonium chloride, dilauryldimethylammonium chloride, cetyltrimethylbenzylammonium chloride, dicetyltrimethylammonium chloride, laurylpyridinium chloride, and cetylpyridinium chloride.
13. A composition according to any preceding claim which further comprises hexamethyldisiloxane or cyclomethicone.
14. A composition according to any preceding claim which further comprises a nonionic thickener selected from the group consisting of methylcellulose, hydroxybutyl methylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose, hydroxyethyl ethylcellulose and hydroxyethylcellulose, di(hydrogenated tallow)phthalic acid amide, crosslinked maleic anhydride-methyl vinyl ether copolymer, guar gum, xanthan gum and gum arabic.

- 28 -

15. A composition according to any preceding claim, wherein the conditioning agent is present at 0.01 to 10 wt.%.
16. A composition according to claim 3, wherein the hydrogen peroxide is present at 0.1 to 10.0 wt.%.
17. A composition according to claim 16, wherein the hydrogen peroxide is present at about 2 wt.%.
18. A composition according to any preceding claim which further comprises an amine oxide.
19. A composition according to any preceding claim, wherein the pH is lowered by addition of a mineral acid selected from the group consisting of phosphoric acid and sulfuric acid.
20. A method for conditioning, lightening and highlighting hair which comprises:
(i) applying water to said hair;
(ii) applying to said hair a conditioning, lightening and highlighting effective amount of a composition comprising:
(a) a peroxygen compound; and
(b) a conditioning vehicle, said composition having a pH of 5 or less than 5;
(iii) rubbing said composition into the hair;
(iv) rinsing said hair with water.

- 29 -

21. A method according to claim 20, wherein the pH of the composition is from 2 to 4.5.
- 5 22. A method according to claim 20 or 21, wherein the peroxygen is hydrogen peroxide.
23. A method according to any of claims 20, 21 or 22 wherein the peroxygen compound is present at 2 wt.%.
- 10 24. A method according to any of claims 20 to 23, which further comprises an amine oxide.
- 15 25. A method according to any of claims 20 to 24, which comprises a mineral acid selected from the group consisting of sulfuric acid and phosphoric acid.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 99/06097

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K7/06 A61K7/50 A61K7/135

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 170 830 A (CURTIS HELENE IND INC) 13 August 1986 (1986-08-13) page 13; examples G,H	1-3,10, 11,15, 19-22,25
X	CHEMICAL ABSTRACTS, vol. 127, no. 16, 20 October 1997 (1997-10-20) Columbus, Ohio, US; abstract no. 225090, XP002127088 & JP 09 227347 A (KAO CORP.) 2 September 1997 (1997-09-02) abstract	1,10,11, 15,16,20
X	EP 0 218 931 A (RICHARDSON VICKS INC) 22 April 1987 (1987-04-22) claim 1	1,11,14, 15,18,20
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

10 January 2000

Date of mailing of the international search report

26/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Couckuyt, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/06097

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 356 665 A (WELLA AG) 7 March 1990 (1990-03-07) page 4; example 1 ----	1, 10, 11, 15, 16, 20
A	EP 0 829 257 A (DOW CORNING) 18 March 1998 (1998-03-18) claims 8, 9 -----	1-5

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/EP 99/06097

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB 2170830 A	13-08-1986	AU 587224 B	10-08-1989
		AU 5325586 A	14-08-1986
		CA 1266829 A	20-03-1990
		ES 551711 A	16-03-1987
		IT 1190478 B	16-02-1988
		JP 61183214 A	15-08-1986
		KR 9401004 B	08-02-1994
		NZ 215037 A	06-01-1989
JP 09227347 A	02-09-1997	NONE	
EP 0218931 A	22-04-1987	US 4656043 A	07-04-1987
		AT 82493 T	15-12-1992
		AU 581148 B	09-02-1989
		AU 6234586 A	19-03-1987
		CA 1268421 A	01-05-1990
		DE 3687140 A	24-12-1992
		IE 59238 B	26-01-1994
		JP 1984396 C	25-10-1995
		JP 7008772 B	01-02-1995
		JP 62089612 A	24-04-1987
		NZ 217349 A	28-10-1988
EP 0356665 A	07-03-1990	DE 3826369 A	08-02-1990
		AT 76740 T	15-06-1992
		DK 378189 A	04-02-1990
		ES 2042894 T	16-12-1993
		GR 90300081 T	31-07-1991
		GR 3005397 T	24-05-1993
EP 0829257 A	18-03-1998	US 5776454 A	07-07-1998
		JP 10114633 A	06-05-1998